

Hydracrat Ltd **E108(3)**

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park, Glasgow.

Initial Water level:

Date:

Borehole No.: S9 Sheet 1 of 2

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 6 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E	Sc 1:
	TOPSOIL.			0.10				
	FILLING:-Black ASH with traces of clay.					B 0.10-1.00	A 17.3	
					9 (CONE) 1.00			
						B 1.45-2.00		
2						10 (CONE) 2.00		
				2.50				
	Soft to firm mottled brown and grey very silty CLAY with occasional laminations of silt and fine sand. Soft in places.					B 2.45-3.00		
						U4 3.00-3.45	A 28.0 D 46/26 E 65,85	
						B 3.45-4.50		
4						U4 4.50-4.95		
				5.00				
5								

Remarks:

Hydracrat Ltd

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park, Glasgow.

Initial Water Level:

Date:

Borehole No.: S9 Sheet 2 of 2

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 6 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E
				5.00			
	Laminated mottled brown and grey very silty CLAY with laminations of fine sand and silt.					B 4.95-6.00	
				6.20		U4 6.00-6.45	
	Stratified and laminated dark grey/brown silty CLAY and clayey SILT with thin laminations of silt and fine sand.						
2						B 6.45-7.50	
						U4 7.50-7.95	
4						B 7.95-9.50	
						U4 9.50-9.95	
5				10.00			

Remarks:

Hydracrat Ltd

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park - Glasgow.

Initial Water level: Damp at

Date:

Borehole No.: S10 Sheet 1 of 2

Water Level: 1.00

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 7 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E	Scale 1:25
	TOPSOIL.			0.10				
	Dark brown clayey very sandy SILT with a little gravel and traces of rootlets.					B 0.10-1.00	A 31.0	
				1.00		U4		1
	Soft to firm mottled light brown very silty CLAY with some sand laminations. Soft in places.					1.00-1.45	A 34.2 D 57/23 E 60,80	
						B 1.45-2.00		
2						U4 2.00-2.45		2
				2.30				
	Stratified and laminated dark grey silty CLAY and clayey SILT with thin laminations of silt and sand.					B 2.45-3.00		
						U4 3.00-3.45	A 27.7 D 38/20 E 30,40	
						B 3.45-4.50		
4						U4 4.50-4.95		
				5.00				

Remarks:

Hydracrat Ltd

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park - Glasgow.

Initial Water level:

Date:

Borehole No.: S10 Sheet 2 of 2

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 7 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth 5.00	'N' Value	Samples	Test Results A to E	Sea 1:2	
	Stratified and laminated dark grey silty CLAY and clayey SILT with thin laminations of fine sand and silt.					B 4.95-6.50			
						U4 6.50-6.95			
2							U4 6.95-8.50		
							U4 8.50-8.95		
							B 8.95-9.60		
4							U4 9.60-10.00		
5				10.00					

Remarks:

Hydracrat Ltd Subsoil Bore Log

Location: Westthorn Park - Glasgow

Initial Water Level:

Job No.: 3677

Borehole No.: S11 Sheet 1 of 2

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 7 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E
	TOPSOIL.			0.10			
	Brown silty sandy CLAY with a little gravel. Traces of roots.					B 0.10-1.00	A 27.8 D 36/23
1				0.90			
	Soft to firm mottled brown silty CLAY with occasional laminations of silt and fine sand. Soft in places.					U4 1.00-1.45	A 27.8 D 37/22 E 90,120
2						B 1.45-2.00	
						U4 2.00-2.45	A 27.9 D 44/24 E 70,90
3						B 2.45-3.00	
						U4 3.00-3.45	
				3.80			
4	Stratified and laminated dark grey silty CLAY and clayey SILT with thin laminations of silt and fine sand.					B 3.45-4.50	
						U4 4.5-4.95	
5				5.00			

Remarks:

Hydracrat Ltd

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park - Glasgow.

Initial Water level:

Date:

Borehole No.: S11 Sheet 2 of 2

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 7 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E	Scale 1:25	
	Stratified and laminated dark grey silty CLAY and clayey SILT with thin laminations of silt and fine sand.			5.00					
						U4 6.50-6.95		1	
2						B 6.95-8.50		2	
						U4 8.50-8.95			
4						B 8.95-9.00		3	
					U4 9.60-10.00			4	
5				10.00				5	

Remarks:

Hydracrat Ltd

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park - Glasgow.

Initial Water level:

Date:

Borehole No.: S12 Sheet 1 of 2

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 8 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E	Scale 1:2
	TOPSOIL.			0.10				
	FILLING:-Brown silty sandy CLAY with some gravel and some black ash.					B 0.10-1.00	A 24.0 D 32/23	
	Soft brown silty (sandy) CLAY with a little gravel.			0.90				
				1.20		U4 1.00-1.45		1
	Soft brown and grey silty CLAY with occasional laminations of clayey silt.					B 1.45-2.00	A 29.4 D 36/24 E 70,90	
2						U4 2.00-2.45		2
	Soft laminated brown and grey silty CLAY and clayey SILT.			2.20				
						B 2.45-3.50	A 27.0 D 38/22 E 30,40	
				3.40				
	Stratified and laminated dark grey SILT, sandy SILT and clayey SILT with occasional thin laminations of soft silty clay. Very soft in places.					U4 3.50-3.95		
4						B 3.95-5.50		
5				5.00				

Remarks:

Hydracrat Ltd

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park - Glasgow.

Initial Water level:

Date:

Borehole No.: S12 Sheet 2 of 2

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 8 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E	Scale 1:25
	Stratified and laminated dark grey SILT, sandy SILT and clayey SILT with occasional thin laminations of soft silty CLAY. Very soft in places.			5.00		U4		
						5.50-5.95		
				6.00				1
2								2
4								4
5								5

Remarks:

Hydracrat Ltd

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park, Glasgow.

Initial Water level: Damp at

Date:

Borehole No.: S13 Sheet 1 of 2

Water Level:

1.00

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 8 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E	Sc 1:
1	TOPSOIL.			0.30				
1	Brown very sandy clayey SILT with a little gravel and pockets of sand.					B 0.30-1.00	E 55,75	
1					5 (CONE) 1.00			
1				1.90		B 1.45-2.00		
2	Soft laminated brown silty CLAY with occasional thin laminations of silt and fine sand.					U4 2.00-2.45	A 33.1 D 47/25 E 30,40	
2						B 2.45-3.50		
2				3.70		U4 3.50-3.95		
2								
4	Stratified and laminated dark grey SILT, sandy SILT and clayey SILT.							
4						B 3.95-5.50		
5				5.00				

Remarks:

Hydracrat Ltd

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park - Glasgow.

Initial Water level:

Date:

Borehole No.: S13 Sheet: 2 of 2

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date:

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth 5.00	'N' Value	Samples U4 5.50-5.95	Test Results A to E	Sea 1:25
<div style="text-align: right; margin-bottom: 10px;">1</div> <div style="text-align: right; margin-bottom: 10px;">2</div> <div style="text-align: right; margin-bottom: 10px;">3</div> <div style="text-align: right; margin-bottom: 10px;">4</div> <div style="text-align: right; margin-bottom: 10px;">5</div>	Stratified and laminated dark grey SILT, sandy SILT and clayey SILT.			5.00		U4 5.50-5.95		<div style="text-align: right; margin-bottom: 10px;">1</div> <div style="text-align: right; margin-bottom: 10px;">2</div> <div style="text-align: right; margin-bottom: 10px;">3</div> <div style="text-align: right; margin-bottom: 10px;">4</div> <div style="text-align: right; margin-bottom: 10px;">5</div>

Remarks:

Hydracrat Ltd

Subsoil Bore Log

Job No.: 3677

Location: Westthorn Park, Glasgow.

Initial Water level: 2.00

Date:

Borehole No.: S14

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 8 and 9 Jan 1987

Final Water Level:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E	Scale 1:25
	TOPSOIL.			0.10				
	Soft to firm brown silty sandy CLAY with laminations of sand and thin laminations of soft grey clay.					B 0.10-1.00		
						U4 1.00-1.45	A 28.2 D 40/21 E 80,105	1
						B 1.45-2.00		
2						U4 2.00-2.45		2
					2.20			
	Firm laminated brown silty CLAY with thin laminations of fine sand and silt. Becoming soft at base of stratum.					B 2.45-3.50		3
						U4 3.50-3.95		
	Stratified and laminated dark grey SILT, sandy SILT and clayey SILT with thin laminations of soft grey clay.			3.60			A 36.4 D 55/27 E 45,60	4
						B 3.95-5.00		
5				5.00				

Remarks:

Hydracrat Ltd

Subsoil Bore Log

E108(3)

Location: Westthorn Park - Glasgow.

Initial Water level: Damp at 2.00m

Job No.: 3677

Borehole No.: S15

Water Level:

Date:

Borehole Dia.: 150mm

Water Level:

Date:

Date: 9 JAN 1987

Final Water Level:

Date:

Date:

Scale 1:25	Description	Leg	Level	Depth	'N' Value	Samples	Test Results A to E	Scale 1:2
	TOPSOIL.			0.10				
	Stratified brown silty CLAY and silty SAND with occasional thin laminations of soft light yellow/brown clay.					B 0.10-1.00		
						U4 1.00-1.45	A 46.4 D 54/29 E 40,50	
							B 1.45-2.00	
2				2.00		U4		2
	Firm laminated dark grey/brown silty CLAY with occasional thin laminations of fine sand and silt.					2.00-2.45	A 28.1 D 42/23 E 90,120	
				2.50				
	Stratified and laminated dark brown clayey SILT and silty CLAY.					B 2.45-3.50		
				3.50		U4		
	Soft laminated light brown silty CLAY with some silt and sand lenses.					3.50-3.95	A 32.5 D 43/24 E 45,60	
4				4.00				
	Stratified and laminated dark brown clayey SILT and silty CLAY.					B 3.95-5.00		
				5.00				
5				5.00				

Remarks: